

Work Order ID 145457

Friday, May 06, 2016 8:14:12 AM

145457

Page 1

Item ID: D3183-044 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Bracket Assembly
Start Date: 4/21/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 5/5/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: MCS Date: MAY 06 2016 Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3183	Rev C1								
100	BAND SAW	0.00							
100									DAS 14 6-89
Bandsaw	Memo	0.00							16/05/31
Jeaspa Bandsaw	Cut blanks: (1.500" x 2.250") 5.500" long								
110	HAAS CNC VERTICAL MACHINING #1	0.00							
110									2/6-6-1
HAAS 1	Memo	0.00							
HAAS CNC vertical machine #1	1-Machine D3183-4 as per Folio FA322 and Dwg D3183								
	Identify as D3183-4								
	2-Deburr								
	3-Scribe batch number								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Friday, May 06, 2016 8:14:12 AM

Page 2

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____ **Run** **Start** ***NR1***
 QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____ **Stop** ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

120

QC2- Inspect parts off machine FAI/FAIB

0.00

120

QC

Memo

0.04

Quality Control

130

QC8- Inspect parts - second check

0.00

130

QC

Memo

0.08

Quality Control

140

0.00

140

Small Fab

Small Fab

Memo

0.00

Small Fab

Assemble D3183-044 as per Dwg D3183.

DAS

14

2-89

16/06/02

DAS

36

9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
				OTHER : ☐			

Work Order ID 145457

Friday, May 06, 2016 8:14:12 AM

145457

Page 3

Item ID: D3183-044 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Bracket Assembly
Start Date: 4/21/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 5/5/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	QC5- Inspect part completeness to step on W/O	0.00							
150						(4)			38
QC	Memo	0.08							9-89
Quality Control									JUN 06 2016
160	Identify as per dwg & Stock Location: <u>3021</u>	0.00							
160						4			DAS
Packaging	Memo	0.04							6
Packaging									9-89
									JUN 06 2016
170	QC21- Final Inspection - Work Order Release	0.00							
170						MC5			JUN 07 2016
QC	Memo	0.40							
Quality Control									

MC5 JUN 07 2016

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Friday, May 06, 2016 8:14:17 AM

145457

D3183-044

Start Date: 4/21/2016

Required Date: 5/5/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:Pick:A04.02.18New issueKJ/DS
IPP Rev:B Changed Mat Size 08-06-26 JLM Verified By:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3183-045		Manufactured	No			100	Each	43.0000	2	8			
D3183-045 Bearing Assembly													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				FG		2							
				139821		2							
				ST021		41							
				141815		41							
D3121-21		Manufactured	No			140	Each	18.0000	2	8			
D3121-21 Bolt													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST018		18							
				142460		18							
M174B1.500X02.250		Purchased	No			140	f	14.0000	0.4583	1.929684			
M174B1 500X02 250 17-4 SS Bar 1.50"X2.250													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				MAT010		14							
				m128572		2							
				m133511		12							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause				FAULT CATEGORY					
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
				OTHER : ☐					

DART AEROSPACE LTD		Work Order:	145 457
Description: Bracket		Part Number:	D3183-4
Inspection Dwg: D3183	Rev: C1	Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
R0.190	+/-0.030	-188	✓			
R0.063	+/-0.010	-063	✓			
0.182	+/-0.010	-183	✓		VERD	SL-10
0.070	+/-0.010	-070	✓			
0.100	+/-0.010	-101	✓			
Ø0.201 x 0.100	+/-0.010	-201X.100	✓			
0.182	+/-0.010	-182	✓			
5.32	+/-0.030	5.326	✓		HG	
5.036	+/-0.010	5.037	✓			
2.120	+/-0.010	2.120	✓			
1.290	+/-0.010	1.290	✓			
0.365	+/-0.010	-364	✓			
0.218	+/-0.010	-214	✓			
1.030	+/-0.010	1.030	✓			
1.90	+/-0.030	1.890	✓			
1.012	+/-0.010	1.011	✓		HG	
Ø0.201 x 0.100	+/-0.010	-202X100	✓			
0.786	+/-0.010	-782	✓		HG	
Ø0.392	+0.002/-0.000	-393	✓		mic	SL-4
R0.19	+/-0.030	-188	✓			
3.954	+/-0.010	3.954	✓		HG	
0.162	+/-0.010	-157	✓			
R0.19	+/-0.030	-188	✓			
R0.25	+/-0.030	-250	✓			
4.26	+/-0.030	4.261	✓		HG	
2.800	+/-0.030	2.830	✓			
Calculated dimension						
0.162	+/-0.010	-160	✓			
0.615	+/-0.010	-620	✓			
0.435	+/-0.010	-434	✓			
0.200	+/-0.010	-201	✓			
0.381	+/-0.010	-385	✓			
0.032	+/-0.010	-030	✓			


Measured by:	SL	Audited by:	14	Preliminary Approval:	N/A
Date:	16-5-31	Date:	16/06/02	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	03.11.12	New Issue P/O D3183-044	KJ/RF	
B	04.03.15	Changes as per revision C	KJ/JLM/RF	
C	04.06.15	Dimension 2.800 was 2.080; removed 1.155, 0.36 dimensions	KJ/JLM	
D	06.03.09	Dwg Rev update	KJ/JLM	
E	08.01.16	Dimensions revised	KJ/EC/DD	
F	10.09.23	Dimensions revised	KJ	




DESIGN #	DRAWN BY CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3183	REV. C SHEET 1 OF 4
DATE 04.02.17		TITLE BRACKET ASSEMBLY	SCALE 1:1
A	03.01.24	NEW ISSUE	
B	03.06.17	REMOVE BEARING; 1.012 WS 0.882	
C	04.02.17	ADD -045/-9; 0.182 WAS 0.431	
CI	04.11.09	0.830 WAS 0.850	

RELEASED
04.03.01
DEO ATTACHED




D3183-041 BRACKET ASSEMBLY (SHOWN)
D3183-042 BRACKET ASSEMBLY (OPPOSITE)
D3183-043 BRACKET ASSEMBLY (SIMILAR)
D3183-044 BRACKET ASSEMBLY (SIMILAR)



D3183-5 BEARING: **SPECIFICATION CONTROL DRAWING**

- 1) SINGLE ROW, DEEP GROOVE, CONRAD TYPE, SHIELDED
- 2) POSSIBLE SUPPLIER: NSK P/N 6800ZZ
- 3) ALL DIMENSIONS ARE IN INCHES



D3183-7 WASHER

- 1) MATERIAL: AISI 303 ROUND BAR (M303R) ANNEALED
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2003 BY DART AEROSPACE LTD.





THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART Aerospace LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. C
DATE		D3183	SHEET 2 OF 4
04.02.17		TITLE	SCALE
		BRACKET ASSEMBLY	1:2

RELEASED
04.03.01

DEO ATTACHED



**D3183-1 BRACKET SHOWN
D3183-2 BRACKET OPPOSITE**



- 1) D3183-1 CAN BE MADE FROM D3183-3
D3183-2 CAN BE MADE FROM D3183-4
- 2) MATERIAL: 17-4 SS PER AMS 5604/5643
(REF DART SPEC. M17-4-B)
MIN ULTIMATE STRENGTH = 150 ksi
MIN YIELD STRENGTH = 100 ksi
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 4) ENGRAVE DART P/N & LOGO AS SHOWN
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2003 BY DART Aerospace LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART Aerospace LTD.



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. C
DATE		D3183	SHEET 3 OF 4
04.02.17		TITLE	SCALE
		BRACKET ASSEMBLY	1:2




D3183-3 BRACKET SHOWN
(REPLACES BELL P/N 412-030-304-105)
D3183-4 BRACKET OPPOSITE
(REPLACES BELL P/N 412-030-304-106)

- 1) MATERIAL: 17-4 SS PER AMS 5604/5643
(REF DART SPEC. M17-4-B)
MIN ULTIMATE STRENGTH = 150 ksi
MIN YIELD STRENGTH = 100 ksi
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 3) ENGRAVE DART P/N & LOGO AS SHOWN
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

DEO ATTACHED
RELEASED
04.03.01




DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3183	REV. C SHEET 4 OF 4
DATE 04.02.17		TITLE BRACKET ASSEMBLY	SCALE 1:1




DETAIL A (2 : 1)

RELEASED
04.03.01

DEO ATTACHED



DETAIL B (20 : 1)



D3183-9 CAP

- 1) MATERIAL: DELRIN ROD, Ø1.00
(REF DART SPEC. M-DELRIN-R1.00)
- 2) TOLERANCES ARE PER DART QSI 018
UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES

D3183-045 BEARING ASSEMBLY

- 1) ASSEMBLE D3183-5 BEARING AND
D3183-9 CAP

COPYRIGHT © 2003 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

